

CY 2024 Real World Testing Plan for Procentive

Executive Summary

This is the real world test plan for CY 2024 for the Procentive certified EHR solution. It provides the real world test measurements and metrics that meet the intent and objectives of ONC's Condition of Certification and Maintenance of Certification requirement for real world testing (§ 170.405 Real world testing) to evaluate compliance with the certification criteria and interoperability of exchanging electronic health information (EHI) within the care and practice setting which it is targeted for use.

This document builds toward the final testing measurements and metrics we will use to evaluate our product interoperability within production settings. Within each use case, we document our testing methodology for the measure/metric we plan to employ. We also include the associated ONC criteria, our justification for measurement selection, our expected outcomes from the testing, the care settings applied for this measure, and if applicable the number of clients to use in our real world testing.

We have included our timeline and milestones for completing the real world testing in CY 2024, and information about compliance with the Standards Version Advancement Process updates.

A table of contents is provided later in the plan quick access to any document section, including the testing measurements and metrics found at the end of this document. Our signed attestation of compliance with the real world testing requirements is on the following page.

Developer Attestation

This Real World Testing plan is complete with all required elements, including measures that address all certification criteria and care settings. All information in this plan is up to date and fully addresses the health IT developer's Real World Testing requirements.

Authorized Representative Name:

Catherine Baker

Authorized Representative Signature:

Catherine Baker

[SIGNATURE]

November 29, 2023

DATE

Executive Summary.....	1
Developer Attestation.....	2
General Information	4
Timeline and Milestones for Real World Testing CY 2024.....	5
Standards Version Advancement Process (SVAP) Updates	6
Real World Testing Measurements	7
Testing Methodologies	7
Care and Practice Settings Targeted.....	7
RWT Measure #1. Number of Transition of Care C-CDAs Successfully Sent	8
RWT Measure #2. Number of C-CDAs Received and/or Incorporated	10
RWT Measure #3. Number of Quality Measures Successfully Reported on to CMS.....	12
RWT Measure #4. Number of Patients Given Access to Portal	13
RWT Measure #5. Number of Immunization Registries Engaged.....	14
RWT Measure #6. Number of Syndromic Surveillance Registries Engaged	15
RWT Measure #7. Compliance of Data Export C-CDA Export and C-CDA Scorecard Average Score	16
RWT Measure #8. Number of Different applications/3rd party systems using your API capabilities	18

General Information

Plan Report ID Number: Procentive-RWT-2024

Developer Name: Procentive

Product Name(s): Procentive

Version Numbers(s): v2

Certified Health IT Criteria: 315(b)(1)-(2), (b)(6), (c)(1)-(3), (e)(1), (f)(1)-(2), (g)(10)

Product List (CHPL) ID(s) and Link(s):

- 15.04.04.2214.Proc.02.01.1.221228
- <https://chpl.healthit.gov/#/listing/11155>

Developer Real World Testing Page URL: <https://therapybrands.com/mental-health-with-substance-use-recovery/procentive/onc-real-world-test/>

Timeline and Milestones for Real World Testing CY 2024

- 1Q-2024: Health IT system is fully enabled for use in real world testing.
- 3Q-2024. Begin making plans to collect data for RWT measures. If necessary, engage clients to ask for their support and participation in real world testing.
- 4Q-2024. During the last quarter of the year, the CY 2024 real world test plan will be completed according to ONC and ONC-ACB requirements and expectations. Test plan will be prepared for submission.

Standards Version Advancement Process (SVAP) Updates

Currently, we are using all required 2015 Edition Cures Update standards. The RWT measures listed in this plan are based on those standards, and any SVAP updates are explicitly noted below. We are awaiting the updated requirements in the HTI-1 rule which has not yet been released. Based on the standards stipulated by this future ruling, we will update our standards and implementation guide as needed, and these changes may be captured in our CY 2024 RWT test results.

Standard (and version)	N/A
Updated certification criteria and associated product	N/A
Health IT Module CHPL ID	N/A
Method used for standard update	N/A
Date of ONC-ACB notification	N/A
Date of customer notification (SVAP only)	N/A
Conformance measure	N/A
USCDI-updated certification criteria (and USCDI version)	N/A

Real World Testing Measurements

The measurements for our real world testing plan are described below. Each measurement contains:

- Associated ONC criteria
- Testing Methodology used
- Description of the measurement/metric
- Justification for the measurement/metric
- Expected outcomes in testing for the measurement/metric
- Number of client sites to use in testing (if applicable)
- Care settings which are targeted with the measurement/metric

In each measurement evaluate, we elaborate specifically on our justification for choosing this measure and the expected outcomes. All measurements were chosen to best evaluate compliance with the certification criteria and interoperability of exchanging electronic health information (EHI) within the certified EHR.

Testing Methodologies

For each measurement, a testing methodology is used. For our test plan, we use the following methodologies.

Reporting/Logging: This methodology uses the logging or reporting capabilities of the EHR to examine functionality performed in the system. A typical example of this is the measure reporting done for the automate measure calculation required in 315(g)(2), but it can also be aspects of the audit log or customized reports from the EHR. This methodology often provides historical measurement reports which can be accessed at different times of the year and evaluate interoperability of EHR functionality, and it can serve as a benchmark for evaluating real world testing over multiple time intervals.

Compliance and/or Tool: This methodology uses inspection to evaluate if EHR is compliant to the ONC criteria requirements. It can be done through 1-v-1 inspection testing or utilize various tools to measure or evaluate compliance and interoperability. If an Health IT Module capabilities is not widely used in production by current users, compliance inspection can provide assurance criteria is working as previously certified.

Care and Practice Settings Targeted

Our EHR is primarily targeted to general ambulatory and behavioral health practices, and our measures were design for this setting in mind. In each measure, we do also address the care settings targeted and note any necessary adjustment or specific factor to consider with this specific measure.

RWT Measure #1. Number of Transition of Care C-CDAs Successfully Sent

Associated Criteria: 315(b)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are created and successfully sent from the Health IT Module to a 3rd party via Direct messaging during a transition of care event over the course of a given interval.

The interval for this measure will be a minimum of 3 months.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can create a C-CDA patient summary record, including ability to record all clinical data elements, and by sending the C-CDA patient summary record, the EHR demonstrates successful interoperability of an exchanged patient record with a 3rd party. This measurement shows support for Direct Edge protocol in connecting to a HISP for successful transmission.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the C-CDA patient summary record, including record required clinical data elements. In sending the C-CDA patient summary record, the EHR will demonstrate ability to confirm successful interoperability of an exchanged patient record with a 3rd party, including support for Direct Edge protocol in connecting to a HISP. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this Health IT Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.

RWT Measure #2. Number of C-CDAs Received and/or Incorporated Associated Criteria: 315(b)(2)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many C-CDAs are successfully received and/or incorporated upon receipt from a 3rd party via Direct messaging during a transition of care event over the course of a given interval.

The interval for this measure will be a minimum of 3 months.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR can receive a C-CDA patient summary record, and by incorporating the C-CDA patient summary record, the EHR demonstrates successful interoperability of problems, medications, and medication allergies of patient record with a 3rd party. This measurement shows support for Direct Edge protocol in connecting to a HISP for successful transmission.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can create the EHR can receive a C-CDA patient summary record. In incorporating the C-CDA patient summary record, the EHR will demonstrate successful interoperability of problems, medications, and medication allergies of patient record with a 3rd party, including support for Direct Edge protocol in connecting to a HISP. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this Health IT Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.

RWT Measure #3. Number of Quality Measures Successfully Reported on to CMS

Associated Criteria: 315(c)(1)-(c)(3)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many eCQM quality measures were successfully reported on by the Health IT Module to CMS over the course of a given interval.

Measurement Justification

This measure will provide a count and list of electronic clinical quality measures (eCQMs) which are calculated and submitted to CMS for a given program, like MIPS. Clinical quality measures are only used for the respective CMS programs and any production measures should utilize submission to CMS. Because CQM criteria, 315(c)(1)-(c)(3), all work collectively together in the eCQM functionality of the Health IT Module, this measurement is used for all three.

Measurement Expected Outcome

The measurement will a count and list of eCQMs submitted to CMS over a given interval. We will utilize various reports and audit logs to determine our measure count.

A successful measure submission indicates compliance to the underlying ONC criteria. It will show that the EHR can do calculations on the eCQM and that they are accepted by CMS. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this Health IT Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure result to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.

RWT Measure #4. Number of Patients Given Access to Portal

Associated Criteria: 315(e)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many patients are given login access to their patient portal account over the course of a given interval.

The interval for this measure will be a minimum of 3 months.

Measurement Justification

This measure will provide a numeric value to indicate how often this interoperability feature is being used. An increment to this measure indicates that the EHR can supply patient health data to the patient portal and provide an account for the patient to use in accessing this data.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, including Automated Measure (315.g.2) reports, to determine our measure count.

A successful measure increment indicates compliance to the underlying ONC criteria. It will show that the EHR can submit patient health data to the patient portal on a regular and consistent basis as well provide an account for the patient to use in accessing this data. Successfully completing this measure also implies users have a general understanding of the EHR functional operations for this Health IT Module and an overall support for the user experience while not completing this measure may indicate lack of understanding or possibly lack of use or need for this functionality.

We will use the measure count to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.

RWT Measure #5. Number of Immunization Registries Engaged

Associated Criteria: 315(f)(1)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many immunization public health registries are engaged and exchanging data with the client site.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR has established and can maintain a bi-direction exchange with the public health registry. This engagement demonstrates the Health IT Module's compliance with the ONC criteria and meeting real world use for client customers.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, to determine our measure count.

We expect any public health registry to be able to successfully connect and exchange with the EHR and observing these connections will indicates compliance to the underlying ONC criteria. It will show that the EHR can create the HL7 immunization record, including ability to record the required clinical data elements. In sending the message, the EHR will demonstrate ability to confirm successful interoperability of patient's data to the public health registry.

For connected IIS/immunization registries, we expect very few errors or downtime due to the Health IT Module's functionality.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.

RWT Measure #6. Number of Syndromic Surveillance Registries Engaged

Associated Criteria: 315(f)(2)

Testing Methodology: Reporting/Logging

Measurement Description

This measure is tracking and counting how many syndromic surveillance public health registries are engaged and exchanging data with the client site.

Measurement Justification

This measure will provide a numeric value to indicate both the how often this interoperability feature is being used as well as its compliance to the requirement. An increment to this measure indicates that the EHR has established and can maintain an exchange with the public health registry. This engagement demonstrates the Health IT Module's compliance with the ONC criteria and meeting real world use for client customers.

Measurement Expected Outcome

The measurement will produce numeric results over a given interval. We will utilize various reports and audit logs, to determine our measure count.

We expect any public health registry to be able to successfully connect and exchange with the EHR and observing these connections will indicate compliance to the underlying ONC criteria. It will show that the EHR can create the HL7 syndromic surveillance record, including ability to record the required clinical data elements. In sending the message, the EHR will demonstrate ability to confirm successful interoperability of patient's data to the public health registry.

For connected registries, we expect very few errors or downtime due to the Health IT Module's functionality.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.

RWT Measure #7. Compliance of Data Export C-CDA Export and C-CDA Scorecard Average Score

Associated Criteria: 315(b)(6)

Testing Methodology: Compliance and Tool

Measurement Description

This measure is tracking compliance of the Health IT Module criteria functionality of creating a batch export of C-CDAs and measuring its C-CDA Scorecard average.

Measurement Justification

To our knowledge, our customer rarely, if ever, use this Health IT Module so we will evaluate it via a compliance inspection.

This measure will provide assurance of compliance to the Health IT Module criteria, specifically ability to create a batch export of C-CDA patient records and evaluate it against the [ONC C-CDA Scorecard tool](#). The C-CDA scorecard is designed for production use and measures how artifacts created by health IT compare against the HL7 C-CDA implementation guide and HL7 best practices.

The Scorecard will both indicate any C-CDA errors as well provide a numeric scoring result to indicate how well our C-CDA complies with certification requirements and supports interoperability within production setting.

To avoid disclosing PHI, we will only work with test patients from the actual production environment or an appropriately production-mirrored environments to best evaluate production capabilities available to end users.

Measurement Expected Outcome

The user with special access rights, like an admin, selects batch patient option to export all selected record as CCD C-CDA. The user must be able to do this without any developer assistance. The user selects a timeframe period to export patient summaries and a location for the export file to be saved. The EHR will create the batch export of C-CDA files. We will run some C-CDAs through the Scorecard tool to obtain a result. We will also confirm the process and steps done by the user meet the criteria requirements of the Health IT Module and works as expected in production as in a controlled test environment.

A high score from the Scorecard indicates strong support for interoperability, and a lower score indicates opportunity for improvement. We will use this measure to establish a historic baseline of expected interoperability use so it can be used in subsequent real world testing efforts.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.

RWT Measure #8. Number of Different applications/3rd party systems using your API capabilities

Associated Criteria: 315(g)(7), (g)(9), (g)(10)

Testing Methodology: Reporting/Logging

Measurement Description

This is a measure will determine how many different systems or applications are connecting to the EHR via the API.

Measurement Justification

This measure determines real world interoperability and usability, specifically many 3rd party systems or applications are integrated and using the EHR's API interface.

Measurement Expected Outcome

The measurement will provide a count of FHIR application applications which have registered with our service for access, our relied upon software DHIT ConnectEHR+BulkFHIR FHIR4-B.

The answer will provide insight into how users view both the use and value of this interoperability feature.

Care Settings

We designed this measure to test the ambulatory and behavioral health practices that we support and target.